

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

NASA TECHNICAL MEMORANDUM

NASA TM X-64994

(NASA-TM-X-64994) ATLAS OF SKYLAB ATM/S056
CORONAL HOLE OBSERVATIONS (NASA) 28 p HC
\$4.00 CSCI 03B

N76-20055

Unclas
G3/92 21408

ATLAS OF SKYLAB ATM/S056 CORONAL HOLE OBSERVATIONS

By Robert M. Wilson
Space Sciences Laboratory

March 15, 1976

NASA

*George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama*

1. REPORT NO. NASA TM X-64994	2. GOVERNMENT ACCESSION NO.	3. RECIPIENT'S CATALOG NO.	
4. TITLE AND SUBTITLE Atlas of Skylab ATM/S056 Coronal Hole Observations		5. REPORT DATE March 15 1976	6. PERFORMING ORGANIZATION CODE
		8. PERFORMING ORGANIZATION REPORT #	
7. AUTHOR(S) Robert M. Wilson		10. WORK UNIT NO.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS George C. Marshall Space Flight Center Marshall Space Flight Center, Alabama 35812		11. CONTRACT OR GRANT NO.	
		13. TYPE OF REPORT & PERIOD COVERED Technical Memorandum	
12. SPONSORING AGENCY NAME AND ADDRESS National Aeronautics and Space Administration Washington, D. C. 20546		14. SPONSORING AGENCY CODE	
15. SUPPLEMENTARY NOTES Prepared by Space Sciences Laboratory, Science and Engineering			
16. ABSTRACT An atlas of coronal hole observations (Patrol Long and Single Frame Long Filter 3) recorded by the Skylab Apollo Telescope Mount/S056 X-Ray Telescope during the first two manned missions is presented. A total of 279 operations (excluding Super Long frames) were determined. Comparisons are made between coronal hole observations performed in the first manned mission and those in the second manned mission, and between a Super Long Filter 3 image and a typical Single Frame (or Patrol) Long image. Additional studies to enhance the S056 coronal hole observations and perhaps to extend coverage into the last manned mission are suggested. The data presented in this report are still in preliminary form.			
17. KEY WORDS		18. DISTRIBUTION STATEMENT Unclassified - Unlimited <i>Robert M. Wilson</i>	
19. SECURITY CLASSIF. (of this report) Unclassified	20. SECURITY CLASSIF. (of this page) Unclassified	21. NO. OF PAGES 28	22. PRICE NTIS

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
II. S056 CORONAL HOLE IMAGERY	2
III. APPROACH	3
IV. TABULAR INFORMATION	3
REFERENCES	20

LIST OF ILLUSTRATIONS

Figure	Title	Page
1.	Photograph of a typical S056 coronal hole observation (SL 2 load 1); Patrol Long Filter 3 (6 to 14, 27 to 47 Å), June 1, 1973 (DOY 152), 0212:23½ UT, exposure 2:39, CH1 observed near central meridian, north is to upper left, east is to lower left	5
2.	Photograph of a typical S056 coronal hole observation (SL 3 load 2); Single Frame Long Filter 3 (6 to 14, 27 to 47 Å), August 16, 1973 (DOY 228), 1459:03½ UT, exposure 2:38¼, north is to upper right, east is to upper left	6
3.	Photograph of a typical S056 coronal hole observation (SL 3 load 2); Super Long Filter 3 (6 to 14, 27 to 47 Å), August 16, 1973 (DOY 228), 1519:33¼ UT, exposure 10:00¼, CH2 observed near central meridian, CH1 on east limb, north is to upper right, east is to upper left	7

LIST OF TABLES

Table	Title	Page
1.	PL 3 Observations (SL 2 Load 1)	8
2.	PL 3 and SFL 3 Observations (SL 3 Load 2)	11
3.	PL 3 and SFL 3 Observations (SL 3 Load 3)	15

ATLAS OF SKYLAB ATM/ S056 CORONAL HOLE OBSERVATIONS

I. INTRODUCTION

Long-term observations of coronal holes, regions of depressed emission bounded by apparently large-scale loop structure, were accomplished by the instruments of the Skylab Apollo Telescope Mount (ATM). Initial findings concerning these features have been reported by Vaiana et al. [1,2], Tousey et al. [3], Harvey et al. [4], Huber et al. [5], Krieger et al. [6], Timothy et al. [7,8], Bohlin et al. [9], Feldman et al. [10], and Nolte et al. [11].

Nolte et al. [12] and Wetherbee and Reeves [13] have compiled "atlases" of coronal hole observations from the ATM/S054 and S055 instruments, respectively. This report presents similar findings based on observations performed by the ATM/S056 instrument.

The ATM/S056 X-Ray Telescope observed the Sun during all manned operational phases of the Skylab. It obtained some 27 000 photographs (filter-heliograms) of the Sun, as well as more than 1100 hours of X-ray proportional counter data. The instrument has been described by Walsh et al. [14] and Underwood et al. [15,16], and its orbital performance has been reported by deLoach et al. [17].

One of the S056 X-ray filters was especially designed to reveal the faint X-ray emanations from the Sun. This soft X-ray filter, designated Filter 3, was an 0.086 mil foil of titanium (bandpass: 6 to 14, 27 to 47 Å, where bandpass is defined as that wavelength region in which the product of filter transmission and telescope reflectivity exceeds 10^{-4}). Operations were performed with this filter (and the other four X-ray filters) in the instrument's Patrol, Single Frame, and Active modes and have yielded some data concerning coronal holes and X-ray bright points. The titanium filter, when used in conjunction with the other X-ray filters, also allows the determination of line-of-sight temperatures and densities following the techniques described by Vaiana et al. [18].

Approximately midway through the second manned mission (i.e., late August 1973), the titanium filter developed a visible light leak. This light leak appeared in the images to varying degrees and, in fact, progressively deteriorated the value of the filter through the last manned mission. In some cases, the light leak appeared as a very faint marking near the edge of the film; in others, it appeared diagonally across the image. Sometimes it would appear in a frame and then disappear for several operations before reappearing. The orientation of the marking and its "degree of blackness" varied, rarely being exactly the same for consecutive Filter 3 operations. The exact cause of this problem is not yet understood.

In addition to the occasional marking on some Filter 3 images, overlapping frames (i.e., a frame superimposed upon the preceding frame's data-block lights because of insufficient film advance) sometimes occurred. The analysis of these frames, however, is a problem only for those X-ray features whose images are found to be in proximity to the data-block light images.

While Filter 3 was the best S056 filter for observing coronal holes, especially when used in conjunction with the Patrol Long (PL), Single Frame Long (SFL), or Super Long (S^L) operational modes, Filter 2 (a 0.250 mil foil of aluminum; bandpass: 6 to 8, 8 to 22 Å) and, possibly, Filter 4 (1.000 mil beryllium; bandpass: 6 to 18 Å), when used in the S^L mode with exposures of several minutes, also sometimes revealed coronal holes. Wilson [19] has compiled a listing of the 552 S^L frames obtained by the S056 instrument and determined their exposure times. Thus, only PL 3 and SFL 3 operations for the first two manned missions (loads 1, 2, and 3) have been included in this report. While all entries may not be frames that specifically show coronal holes, these entries represent all S056 operations (except those found in Reference 19) that were performed to detect their presence. The use of radiography to enhance faint features contained in these data may prove useful in the study of coronal holes, as perhaps will the use of image data processing systems, such as the MSFC IDAPS [20,21].

II. S056 CORONAL HOLE IMAGERY

An example of a typical S056 coronal hole photograph observed in the first manned mission through Filter 3 is shown in Figure 1. The coronal hole appears as the elongated area near central meridian which has no X-ray emission. It extends from the north pole (polar coronal hole also noted) to approximately 20°S and is approximately 15° wide at the equator. Following Timothy et al. [8], this hole is known as coronal hole 1 (CH1).

Coronal holes are much more discernible in the observations of the first manned mission (load 1) than in those of the second manned mission (loads 2 and 3), apparently because of conditions on the Sun during these periods. Figure 2 shows the soft X-ray Sun on August 16, 1973 (second mission), and little evidence of an X-ray Sun, except for an active region or two, is observed. Improved viewing of this same August 16 Sun is observed in Figure 3, which shows an S^L 3. CH1 is noted near the east limb and CH2 is noted near central meridian. The polar coronal hole can also be discerned.

Additional studies concerning the PL, SFL, and S^L Filter 3 images of the first two manned missions are presently underway. Also, an attempt to recover coronal hole photographic data for the last manned mission from the S^L 2 and/or 4 exposures is being considered. Of particular interest is the period from November 27 to December 26, 1973, during which the S054 instrument experienced operational anomalies [12].

III. APPROACH

All PL and SFL Filter 3 operations, as recorded in the "S056 Operations Log," for the first two manned missions were compiled. A total of 279 operations were determined. A review of a third generation Houston-produced (NASA-Johnson Spacecraft Center Photolab) film was then made to reveal those frames whose images were full disk and those that were partial disk. Finally, the results of this study were recorded in Tables 1 through 3 in this report.

IV. TABULAR INFORMATION

Table 1 lists the PL 3 observations obtained during the first manned mission (SL 2 load 1). No SFL 3 operations were performed. Tables 2 and 3 identify the PL 3/SFL 3 observations performed during the second manned mission (SL 3 loads 2 and 3, respectively). For the S^L 3 observations, see Reference 19.

In Tables 1 through 3 "Date" identifies the date of the operation, "F.N." identifies the frame numbers of the observation as identified in the S056 Operations Log, "DOY" is the day-of-year of the observation, "UT" is the universal time of the start of the exposure, "FD/PD" denotes whether the frame is full disk or partial disk, and "Comments" are the remarks relative to the specific frames. The following is an explanation of the abbreviated annotations written in the "Comments" column of Tables 1 through 3:

OLI: Overlapping image

SFL 3: Single Frame Long, Filter 3

VLL: Visible light leak

VLL (VF): Visible light leak, very faint

VLL (VD): Visible light leak, very dark

*: Very darkened image frame

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 1. Photograph of a typical S056 coronal hole observation (SL 2 load 1); Patrol Long Filter 3 (6 to 14, 27 to 47 Å), June 1, 1973 (DOY 152), 0212:23½ UT, exposure 2:39, CH1 observed near central meridian, north is to upper left, east is to lower left. (The "fishhooks" noticeable in the photograph are pressure marks which randomly occurred on all film loads (see Reference 17).)




Figure 2. Photograph of a typical S056 coronal hole observation (SL 3 load 2);
Single Frame Long Filter 3 (6 to 14, 27 to 47 Å), August 16, 1973 (DOY
228), 1459:03 $\frac{1}{2}$ UT, exposure 2:38 $\frac{1}{4}$, north is to
upper right, east is to upper left.



Figure 3. Photograph of a typical S056 coronal hole observation (SL 3 load 2);
Super Long Filter 3 (6 to 14, 27 to 47 Å), August 16, 1973 (DOY 228),
1519:33 $\frac{1}{4}$ UT, exposure 10:00 $\frac{1}{4}$, CH2 observed near central
meridian, CH1 on east limb, north is to
upper right, east is to upper left.

TABLE 1. PL 3 OBSERVATIONS (SL 2 LOAD 1)

Date	F.N.	DOY	UT	FD/PD	Comments
5/29/73	51	149	1945:03 $\frac{1}{2}$	FD	
5/30	69	150	0013:10 $\frac{1}{2}$	FD	
	102		0155:09 $\frac{1}{4}$	FD	
	141		1432:46	FD	
	238		1716:45 $\frac{3}{4}$	~FD	
5/31	376	151	0111:24 $\frac{3}{4}$	FD	
	415		1342:42 $\frac{1}{2}$	FD	
	439		1646:52	PD	
	457		1709:39 $\frac{1}{4}$	PD	
	475		1814:51 $\frac{1}{2}$	PD	
	493		1839:28 $\frac{3}{4}$	PD	
	568		2113:14 $\frac{1}{4}$	PD	
6/1	672	152	0212:23 $\frac{1}{2}$	FD	
6/2	690	153	1359:28 $\frac{1}{4}$	FD	
6/3	924	154	0049:10 $\frac{1}{2}$	PD	
	930		0108:56 $\frac{1}{2}$	PD	
	942		0214:16	FD	
	960		1452:55	FD	
	972		1607:33	FD	
	1023		1801:36 $\frac{3}{4}$	PD	
	1056		2100:37 $\frac{3}{4}$	PD	
6/4	1133	155	0134:14 $\frac{1}{2}$	FD	
	1172		1539:31 $\frac{1}{2}$	FD	
	1205		1838:16	FD	
	1211		1905:21	FD	

TABLE 1. (Continued)

Date	F. N.	DOY	UT	FD/PD	Comments
6/5/73	1313	156	0052:50 $\frac{3}{4}$	PD	
	1337		0222:09 $\frac{3}{4}$	FD	
	1355		1503:09	FD	
	1433		2106:16	PD	
	1451		2128:36 $\frac{3}{4}$	PD	
	1470		2235:37 $\frac{3}{4}$	PD	
	1488		2258:27 $\frac{3}{4}$	PD	
6/6	1500	157	0142:28 $\frac{3}{4}$	FD	
	1518		1425:14 $\frac{1}{2}$	FD	
	1530		2013:13 $\frac{3}{4}$	PD	
6/7	1565	158	0058:43 $\frac{1}{2}$	FD	
6/8	1581	159	0207:45 $\frac{1}{2}$	FD	
	1616		1614:04 $\frac{1}{4}$	FD	
6/9	1634	160	0133:15 $\frac{1}{2}$	FD	
	1646		1348:55	FD	
6/10	1731	161	0022:37	PD	
	1759		0201:10 $\frac{1}{4}$	FD	
	1817		1616:29 $\frac{3}{4}$	FD	
	1873		1905:09 $\frac{1}{4}$	PD	
	1879		1921:44 $\frac{3}{4}$	PD	
6/11	1995	162	0124:00 $\frac{3}{4}$	FD	
	2034		1357:26 $\frac{1}{2}$	FD	
	2092		1958:23 $\frac{1}{4}$	PD	
	2110		2020:59 $\frac{1}{2}$	PD	
6/12	2270	163	0209:51	FD	

TABLE 1. (Concluded)

Date	F.N.	DOY	UT	FD/PD	Comments
6/12/73	2288	163	1450:16 ³ / ₄	FD	OLI
	2300		1607:37	PD	
	2384		1922:48 ¹ / ₄	PD	
	2390		1938:13 ¹ / ₄	PD	
6/13	2521	164	0134:06	FD	
	2538		1551 25 ³ / ₄	FD	
	2584		1844:55 ¹ / ₂	PD	
	2602		2008:39 ¹ / ₄	PD	
	2620		2031:08 ¹ / ₄	PD	
	2638		2140:22	PD	
	2656		2203:23 ³ / ₄	PD	
6/14	2733	165	0112:31	FD	
	2745		1340:33 ³ / ₄	FD	
	2791		1819:50 ³ / ₄	FD	
6/15	2937	166	0005:20 ¹ / ₂	FD	
	2955		1110:54	FD	
	2967		1224:19 ¹ / ₂	~FD	
	3010		1358:18 ¹ / ₂	PD	
	3352		2201:35 ¹ / ₄	FD	
6/16	3370	167	1032:10	FD	
	3424		2109:38 ¹ / ₂	FD	
6/17	3463	168	0941:48 ¹ / ₂	FD	
6/18	3769	169	1036:01 ³ / ₄	FD	
	3972		2121:20 ¹ / ₄	FD	
	3976		2133:11	FD	

TABLE 2. PL 3 AND SFL 3 OBSERVATIONS (SL 3 LOAD 2)

Date	F.N.	DOY	UT	FD/PD	Comments
8/8/73	304	220	0102:36	~FD	SFL 3
	320		1501:38 $\frac{1}{4}$	FD	
8/9	476	221	0146:59 $\frac{3}{4}$	PD	
	512		1547:55 $\frac{3}{4}$	FD	
	711		1845:21 $\frac{1}{4}$	FD	
	858		2146:38 $\frac{3}{4}$	FD	
8/10	936	222	1432:12 $\frac{3}{4}$	FD	
8/11	1034	223	0133:04	FD	
	1082		1401:08	FD	
	1188		1841:30	PD	
	1206		1905:01 $\frac{3}{4}$	PD	
	1224		2010:35 $\frac{1}{4}$	PD	
	1242		2032:58 $\frac{1}{4}$	PD	
	1260		2146:00 $\frac{3}{4}$	PD	
	1278		2209:22 $\frac{1}{4}$	PD	
8/12	1290	224	0049:20	FD	
	1332		1804:29	FD	
8/13	1492	225	0142:56 $\frac{1}{4}$	FD	
	1534		1431:03	FD	
	1709		2048:11 $\frac{1}{4}$	FD	
8/14	1866	226	0105:26 $\frac{3}{4}$	FD	
	1885		1332:34	FD	
	1921		1500:26 $\frac{1}{4}$	PD	
	1939		1524:28	PD	
	1957		1632:23	PD	

TABLE 2. (Continued)

Date	F.N.	DOY	UT	FD/PD	Comments
8/14/73	1975	226	1706:42 $\frac{1}{4}$	PD	
	1991		1817:49 $\frac{1}{4}$	PD	
	2182		2247:01 $\frac{3}{4}$	PD	
8/15	2251	227	0021:27 $\frac{1}{2}$	PD	
	2308		0155:49 $\frac{1}{2}$	PD	
	2374		1320:58	PD	
	2383		1436:32 $\frac{1}{4}$	FD	
8/16	2800	228	2332:23	PD	
	2848		0119:19 $\frac{1}{2}$	FD	
	2872		1220:52 $\frac{1}{2}$	PD	
	2890		1346:23 $\frac{1}{2}$	FD	
	2918		1459:03 $\frac{1}{2}$	FD	
	3003		2004:36 $\frac{3}{4}$	PD	
	3009		2024:04 $\frac{1}{2}$	PD	
	3025		2130:17 $\frac{3}{4}$	PD	
	3043		2156:49 $\frac{3}{4}$	PD	
	3057		2256:18	PD	
8/17	3075	229	2331:39 $\frac{3}{4}$	PD	SFL 3
	3093		0033:12 $\frac{3}{4}$	PD	
	3111		0057:49	PD	
	3124		0205:15 $\frac{1}{4}$	FD	
	3136		0227:54 $\frac{1}{4}$	PD	
	3166		1146:50 $\frac{1}{2}$	FD	
	3310		1619:24 $\frac{3}{4}$	PD	
	3415		1913:44 $\frac{1}{4}$	PD	

TABLE 2. (Continued)

Date	F.N.	DOY	UT	FD/PD	Comments
8/17/73	3433	229	1936:03 $\frac{1}{4}$	PD	
	3451		2058:16 $\frac{3}{4}$	PD	
8/18	3470	230	0014:05	PD	
	3488		0124:41 $\frac{1}{2}$	FD	
	3550		1354:56 $\frac{1}{2}$	FD	
	3586		1529:25 $\frac{1}{4}$	FD	
	3628		1700:33 $\frac{1}{4}$	PD	
	3803		2201:09	PD	
	3821		2317:14 $\frac{1}{2}$	PD	
	3839		0042:05 $\frac{3}{4}$	PD	
8/19	3881	231	1142:32 $\frac{1}{2}$	FD	
	3905		1323:45	FD	
	4039		1921:03 $\frac{1}{2}$	FD	
	4043		1942:59 $\frac{1}{2}$	PD	
8/20	4214	232	0021:42	FD	
	4238		0135:23 $\frac{1}{2}$	FD	
	4326		1240:04 $\frac{3}{4}$	FD	
	4428		1543:26 $\frac{1}{2}$	FD	
	4531		1847:16	FD	
8/21	4714	233	0058:39 $\frac{1}{4}$	FD	
	4739		0232:48 $\frac{3}{4}$	FD	
	4825		1323:36	FD	
	4909		1632:29 $\frac{3}{4}$	PD	
	5018		1923:29 $\frac{3}{4}$	PD	
	5021		1934:49	PD	

TABLE 2. (Concluded)

Date	F. N.	DOY	UT	FD/PD	Comments
8/21/73	5022	233	1939:12 ³ / ₄	PD	SFL 3
	5027		2003:07 ³ / ₄	PD	SFL 3
	5028		2008:19	PD	SFL 3
	5043		2123:43 ³ / ₄	PD	SFL 3; VLL(VF)
	5045		2130:29 ¹ / ₂	PD	SFL 3
	5047		2137:12 ¹ / ₂	PD	SFL 3
	5049		2142:29 ¹ / ₄	PD	SFL 3
	5053		2235:14 ¹ / ₂	FD	VLL(VF)
	5059		2253:30	FD	VLL(VF)
8/22	5078	234	0007:49	FD	
	5084		0025:13 ¹ / ₂	FD	
	5097		0151:06 ³ / ₄	FD	
	5139		1306:00 ³ / ₄	FD	
	5241		1736:18	FD	
	5277		1918:57 ¹ / ₄	PD	VLL(VF)
	5407		2328:28 ¹ / ₂	FD	
	5413		2346:26	FD	VLL(VF)
8/23	5426	235	0109:56 ¹ / ₄	FD	
	5458		1218:17 ³ / ₄	~FD	
	5464		1233:58	~FD	VLL(VF)
	5476		1344:07	FD	VLL(VF)
8/24	5645	236	0040:40	FD	VLL(VF)

TABLE 3. PL 3 AND SFL 3 OBSERVATIONS (SL 3 LOAD 3)

Date	F.N.	DOY	UT	FD/PD	Comments
8/24/73	3	236	2344:11 $\frac{3}{4}$	~FD	VLL(VF)
8/25	120	237	0145:38 $\frac{1}{4}$	FD	
	138		1238:21 $\frac{1}{4}$	FD	
	337		1844:14	FD	VLL(VF)
8/26	600	238	0053:10	FD	VLL(VF)
	636		1327:25	FD	VLL(VF)
8/27	949	239	0009:42 $\frac{1}{2}$	FD	VLL
	985		1241:35 $\frac{3}{4}$	FD	VLL(VF)
	1089		1700:17 $\frac{1}{2}$	PD	VLL(VF)
	1206		2020:54	PD	VLL(VD)
	1218		2048:57 $\frac{1}{4}$	PD	VLL(VD)
	1235		2153:08 $\frac{3}{4}$	PD	VLL(VF)
	1253		2215:35 $\frac{3}{4}$	PD	
	1271		2324:28 $\frac{1}{4}$	PD	
8/28	1316	240	0058:41 $\frac{1}{4}$	FD	VLL(VD)
	1406		1140:34 $\frac{1}{2}$	PD	VLL(VF)
	1449		1224:26 $\frac{1}{2}$	PD	SFL 3; VLL(VD);
	1476		1331:36 $\frac{3}{4}$	FD	VLL(VD)
	1613		1651:53 $\frac{3}{4}$	PD	SFL 3
	1666		1936:57 $\frac{3}{4}$	PD	VLL(VD)
	1669		2000:20	PD	VLL(VD)
8/29	1938	241	0147:09 $\frac{1}{4}$	FD	VLL(VD)
	1977		1240:20 $\frac{3}{4}$	FD	VLL(VD)
	2001		1425:33 $\frac{1}{2}$	PD	
	2054		2033:21 $\frac{1}{4}$	PD	VLL(VF)

TABLE 3. (Continued)

Date	F.N.	DOY	UT	FD/PD	Comments
8/29/73	2074	241	2055:42 $\frac{1}{2}$	PD	VLL(VF)
	2135		2346:25	PD	VLL(VD)
8/30	2153	242	0243:36	FD	VLL(VD)
	2192		1210:59	PD	SFL 3; VLL(VF)
	2194		1217:23 $\frac{3}{4}$	PD	SFL 3; VLL(VF)
	2196		1224:52	PD	SFL 3; VLL(VF)
	2198		1231:07 $\frac{3}{4}$	PD	SFL 3; VLL(VF)
	2207		1338:21 $\frac{1}{2}$	FD	VLL(VD)
	2249		1458:53 $\frac{1}{2}$	PD	VLL(VD)
	2255		1516:28 $\frac{3}{4}$	PD	VLL(VD)
	2417		2303:20	PD	VLL(VD)
	2435		0027:24 $\frac{1}{2}$	FD	VLL(VD)
8/31	2491	243	1312:01 $\frac{3}{4}$	FD	VLL(VD)
	2515		1435:06 $\frac{3}{4}$	PD	VLL(VF)
	2527		1550:05 $\frac{3}{4}$	PD	VLL(VF)
	2533		1607:25	PD	VLL(VF)
	2551		1723:51 $\frac{1}{4}$	PD	VLL(VF)
	2557		1751:57 $\frac{1}{2}$	PD	VLL(VF)
	2599		1930:09 $\frac{1}{2}$	PD	
	2762	244	0114:55	FD	VLL(VD)
9/1	2772		0125:58	FD	SFL 3; VLL(VD)
	2782		1219:10 $\frac{1}{2}$	FD	VLL(VD)
	2812		1335:51 $\frac{3}{4}$	PD	VLL(VF)
	2875		1658:56 $\frac{1}{2}$	PD	VLL(VF)
9/2	3008	245	0036:36 $\frac{3}{4}$	FD	VLL(VD)

TABLE 3. (Continued)

Date	F.N.	DOY	UT	FD/PD	Comments
9/2/73	3123	245	1318:20	FD	VLL(VD)
	3229		2036:30 ¹ / ₄	PD	SFL 3; VLL(VF)
	3233		2058:51	PD	SFL 3; VLL(VD)
	3240		2114:55 ¹ / ₄	PD	SFL 3; exposure :04 ³ / ₄ ; VLL(VD); OLI
9/3	3268	246	0124:29	FD	VLL(VD)
	3290		1223:18 ¹ / ₄	FD	VLL(VD)
	3327		1817:55 ¹ / ₄	PD	SFL 3; VLL(VD)
	3329		1855:17	PD	SFL 3; VLL(VD)
9/4	3369	247	0047:20 ³ / ₄	FD	VLL(VD)
	3385		0212:52 ¹ / ₄	FD	SFL 3; VLL(VD)
	3392		0228:55	FD	SFL 3; VLL(VD)
	3422		1318:23	FD	VLL(VD)
	3479		1948:24	FD	VLL(VD)
	3533		2234:59 ³ / ₄	PD	VLL(VD)
9/5	3545	248	0007:36 ³ / ₄	PD	VLL(VD)
	3569		0137:48 ¹ / ₄	FD	VLL(VD)
	3586		1241:59	FD	VLL(VD)
9/6	3850	249	0101:06 ¹ / ₄	FD	VLL(VD)
	3887		1318:19 ¹ / ₂	FD	VLL(VD)
	3995		2308:51 ¹ / ₄	FD	SFL 3; VLL(VD); *
9/7	4014	250	0146:44	FD	VLL(VD); *
	4197		1441:48	FD	SFL 3; exposure :30; VLL(VD)
9/8	4320	251	0104:10 ³ / ₄	FD	VLL(VD); *
	4369		1331:06 ³ / ₄	FD	VLL(VD); *
	4424		1809:51 ¹ / ₂	FD	SFL 3; VLL(VD); OLI; *

TABLE 3. (Continued)

Date	F. N.	DOY	UT	FD/PD	Comments
9/8/73	4439	251	1931:29 ³ / ₁	FD	SFL 3; VLL(VD); *
9/9	4486	252	0158:14	FD	VLL(VD); OLI; *
	4511		1248:52 ¹ / ₂	FD	VLL(VD); *
9/10	4892	253	0422:13 ³ / ₄	FD	VLL(VD); *
	4925		1205:52 ³ / ₄	FD	VLL(VD); *
	5027		1649:26	PD	VLL(VD)
9/11	5079	254	0202:32	FD	VLL(VD); *
	5090		1131:04 ³ / ₄	FD	VLL(VD); *
	5102		1153:50	?	SFL 3; VLL(VD); OLI; *
	5112		1501:38	?	SFL 3; VLL(VD); OLI; *
9/12	5215	255	0122:21 ³ / ₄	FD	VLL(VD); *
	5235		1351:07	FD	VLL(VD); OLI; *
	5291		2133:28 ¹ / ₂	?	SFL 3; VLL(VD); *
9/13	5326	256	0213:46	FD	VLL(VD); OLI; *
	5343		1148:11 ³ / ₄	FD	VLL(VD); OLI; *
9/14	5424	257	0129:50 ¹ / ₄	FD	VLL(VD); OLI; *
	5448		1238:42 ¹ / ₂	FD	VLL(VD); OLI; *
	5500		1553:17	PD	SFL 3; VLL(VD); *
9/16	5547	259	0152:44 ³ / ₁	FD	VLL(VD); OLI; *
	5564		1237:54 ¹ / ₁	FD	VLL(VD); OLI; *
	5583		2334:04	FD	VLL(VD); OLI; *
9/17	5595	260	1025:49 ¹ / ₁	FD	VLL(VD); OLI; *
	5618		2134:24 ¹ / ₄	?	SFL 3; VLL(VD); OLI; *
9/18	5635	261	0947:26 ³ / ₁	FD	VLL(VD); *
	5657		2219:31	FD	VLL(VD); OLI; *

TABLE 3. (Concluded)

Date	F.N.	DOY	UT	FD/PD	Comments
9/19/73	5674	262	0900:28	FD	VLL(VD); OLI; *
	5699		2127:01$\frac{1}{4}$	FD	VLL(VD); OLI; *
9/20	5719	263	1013:15$\frac{3}{4}$	FD	VLL(VD); OLI; *
	5745		2222:38$\frac{3}{4}$	FD	VLL(VD); OLI; *
9/21	5761	264	0749:11	FD	VLL(VD); *
	5771		0805:33$\frac{1}{4}$?	SFL 3; VLL(VD); OLI; *
	5795		1834:39	FD	VLL(VD); OLI; *

REFERENCES

1. Vaiana, G. S.; Davis, J. M.; Giacconi, R.; Krieger, A. S.; Silk, J. K.; Timothy, A. F.; and Zombeck, M.: X-Ray Observations of Characteristic Structures and Time Variations from the Solar Corona: Preliminary Results from Skylab. *Astrophys. J. (Letters)*, vol. 185, 1973, pp. L47-L51.

2. Vaiana, G. S.; Chase, R.; Davis, J.; Gerassimenko, M.; Golub, L.; Kahler, S.; Krieger, A. S.; Petrasso, R.; Silk, J. K.; Simon, R.; Timothy, A. F.; Zombeck, M.; and Webb, D.: Skylab and the ASE X-Ray Telescope Experiment: A New View of the X-Ray Corona. Included in *Skylab Solar Workshop: Preliminary Results from the S-054 X-Ray Telescope and the Correlated Ground-Based Observations* (ed. by G. Righini), Osservazioni e Memorie Fascicolo 104, Arcetri Astrophysical Observatory, Baccini and Chiappi, Florence, Italy, 1974, pp. 3-47.

3. Tousey, R.; Bartoe, J.-D. F.; Bohlin, J. D.; Brueckner, G. E.; Purcell, J. D.; Scherrer, V. E.; Sheeley, N. R., Jr.; Schumacher, R. J.; and Van Hoosier, M. E.: A Preliminary Study of the Extreme Ultraviolet Spectroheliograms from Skylab. *Sol. Phys.*, vol. 33, 1973, pp. 265-280.

4. Harvey, J.; Krieger, A. S.; Timothy, A. F.; and Vaiana, G. S.: Comparison of Skylab X-Ray and Ground-Based Helium Observations. Included in *Skylab Solar Workshop: Preliminary Results from the S-054 X-Ray Telescope and the Correlated Ground-Based Observations* (ed. by G. Righini), Osservazioni e Memorie Fascicolo 104, Arcetri Astrophysical Observatory, Baccini and Chiappi, Florence, Italy, 1974, pp. 50-58.

5. Huber, M. C. E.; Foukal, P. V.; Noyes, R. W.; Reeves, E. M.; Schmahl, E. J.; Timothy, J. G.; Vernazza, J. E.; and Withbroe, G. L.: Extreme Ultraviolet Observations of Coronal Holes: Initial Results from Skylab. *Astrophys. J. (Letters)*, vol. 194, 1974, pp. L115-L118.

6. Krieger, A. S.; Timothy, A. F.; Vaiana, G. S.; Lazarus, A. J.; and Sullivan, J. D.: X-Ray Observations of Coronal Holes and Their Relation to High Velocity Solar Wind Streams. Included in *Solar Wind Three* (ed. by C. T. Russell), Institute of Geophysics and Planetary Physics, University of California, Los Angeles, 1974, pp. 132-139.

REFERENCES (Continued)

7. Timothy, A. F.; Gerassimenko, M.; Golub, L.; Krieger, A. S.; Petrasso, R.; and Vaiana, G. S.: The Long-Term Development of the Large-Scale Corona and the Evolution of Coronal Holes. Included in Skylab Solar Workshop: Preliminary Results from the S-054 X-Ray Telescope and the Correlated Ground-Based Observations (ed. by G. Righini), Osservazioni e Memorie Fascicolo 104, Arcetri Astrophysical Observatory, Baccini and Chiappi, Florence, Italy, 1974, pp. 93-110.
8. Timothy, A. F.; Krieger, A. S.; and Vaiana, G. S.: The Structure and Evolution of Coronal Holes. *Sol. Phys.*, vol. 42, 1975, pp. 135-156.
9. Bohlin, J. D.; Vogel, S. N.; Purcell, J. D.; Sheeley, N. R., Jr.; Tousey, R.; and Van Hoosier, M. E.: A Newly Observed Solar Feature: Macrospicules in HeII 304Å. *Astrophys. J. (Letters)*, vol. 197, 1975, pp. L133-L135.
10. Feldman, U.; Doschek, G. A.; Van Hoosier, M. E.; and Tousey, R.: The 1640.4 H α Line of HeII Observed from Skylab. *Astrophys. J. (Letters)*, vol. 199, 1975, pp. L67-L70.
11. Nolte, J. T.; Krieger, A. S.; Timothy, A. F.; Gold, R. E.; Roelof, E. C.; Vaiana, G.; Lazarus, A. J.; Sullivan, J. D.; and McIntosh, P.S.: Coronal Holes as Sources of Solar Wind. ASE-3817 (submitted to *Sol. Phys.*), 1976.
12. Nolte, J. T.; Krieger, A. S.; Timothy, A. F.; Vaiana, G. S.; and Zombeck, M. V.: An Atlas of Coronal Hole Boundary Positions May 28 to November 21, 1973. ASE-3787 (submitted to *Sol. Phys. Suppl.*), 1976.
13. Wetherbee, P. K. and Reeves, E. M.: Preliminary Atlas of Coronal Hole Observations with the HCO Spectrometer on Skylab. Private communication, 1975.
14. Walsh, E. J.; Sokolowski, T. I.; Miller, G. M.; Cofield, K. L., Jr.; Douglas, J. D.; Lewter, B. J.; Burke, H. O.; and Davis, A. J.: Design Characteristics of a Skylab Soft X-Ray Telescope. *Proc. S.P.I.E.*, vol. 44, 1974, pp. 175-184.

REFERENCES (Concluded)

15. Underwood, J. H.; Chapman, G. A.; Janssens, T. J.; Mayfield, E. B.; McKenzie, D. L.; Vorpahl, J. A.; Walker, A. B. C., Jr., Milligan, J. E.; deLoach, A. C.; Hoover, R. B.; McGuire, J. P.; and Wilson, R. M.: Preliminary Results from the S056 X-Ray Telescope Experiment Aboard the Skylab/Apollo Telescope Mount. *Advances in Aeronautics and Astronautics* (ed. by E. Stuhlinger, S. T. Wu, and M. Kent), A.I.A.A. (in press), 1975.
16. Underwood, J. H.; Milligan, J. E.; deLoach, A. C.; and Hoover, R. B.: The S-056 X-Ray Telescope Experiment on the Skylab-Apollo Telescope Mount. *Appl. Opt.* (submitted), 1976.
17. deLoach, A. C.; Hoover, R. B.; Wilson, R. M.; Milligan, J. E.; and Underwood, J. H.: The Skylab/ATM S056 Solar X-Ray Telescope: Design and Performance. *NASA Technical Note* (submitted), 1976.
18. Vaiana, G. S.; Krieger, A. S.; and Timothy, A. F.: Identification and Analysis of Structures in the Corona from X-Ray Photography. *Sol. Phys.*, vol. 32, 1973, pp. 81-116.
19. Wilson, R. M.: Atlas of Skylab/ATM S056 Super-Long Exposures and Stepped-Image Frames. *NASA TM X- 64992*, February 1976.
20. Wilson, R. M.; Teuber, D. L.; Watkins, J. R.; Thomas, D. T.; and Cooper, C. M.: A Unique Image Data Processing System for Solar Astronomy. *Appl. Opt.* (submitted), 1976.
21. Wilson, R. M.; Teuber, D. L.; Watkins, J. R.; Thomas, D. T.; and Cooper, C. M.: IDAPS - A Unique Approach to Image Data Processing. *I.E.E.E. Trans. on Computers* (submitted), 1976.


APPROVAL

ATLAS OF SKYLAB ATM/ S056 CORONAL HOLE OBSERVATIONS

By Robert M. Wilson

The information in this report has been reviewed for security classification. Review of any information concerning Department of Defense or Atomic Energy Commission programs has been made by the MSFC Security Classification Officer. This report, in its entirety, has been determined to be unclassified.

This document has also been reviewed and approved for technical accuracy.



ANTHONY C. deLOACH
Chief, Solar Sciences Branch



WILLIAM C. SNODDY
Chief, Astronomy and Solid State Physics Division



CHARLES A. LUNDQUIST
Director, Space Sciences Laboratory